Available online at www.sciencedirect.com
SCIENCE DIRECT
ELSEVIER
Journal of Organometallic Chemistry 678 (2003) 183
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Author index of volume 678

Ahlgrén, M., 95
Al-Allaf, T.A.K., 48

Banger, K.K., 15
Bardia, M.F., 82
Bassindale, A.R., 39
Baukov, Y.I., 39
Bohra, R., 122
Bolourtchian, M., 1
Boukherroub, R., 1
Bousman, K.S., 15
Bylikin, S.Y., 39

Cénac, C., 68
Chen, L., 90, 156
Claessen, R.U., 15

Drake, J.E., 122

Elarraoui, A., 117
Endou, A., 156

Ferrer, M., 82
Franck-Neumann, M., 68

Gassmann, D., 68
Geoffroy, P., 68
George, M.W., 128
Ghosh, A.K., 142
Görls, H., 5
Gupta, A., 122

Han, W.S., 102
Hannu-Kuure, M.S., 95
Harima, Y., 33
Higashiya, S., 15
Hoseini, M., 1
Humphrey, M.G., 72
Hursthouse, M.B., 122

Jain, V.K., 122
Jiang, Q., 148
Jiao, R., 108
Jutand, A., 166

Kawabata, H., 56
Kubo, M., 156
Kunai, A., 33
Kunugi, Y., 33

Ladipo, F.T., 134
Laitinen, R.S., 95
Landman, M., 5
Lee, S.W., 102
Lickiss, P.D., 181
Light, M.E., 122
Lim, P.N., 15
Lima, J.C., 82
Lotz, S., 5
Luo, Y., 108

Ma, C., 148
Manabe, K., 61
Mangeney, P., 166
Mathieu, R., 117
Mathur, P., 142
Merzweiler, K., 48
Meyer, G., 166
Mirza-Aghayan, M., 1
Miyamoto, A., 156
Mobin, S.M., 142
Mukhopadhyay, S., 142

Negrebetsky, V.V., 39
Ngo, S.C., 15

Ohshita, J., 33
Oilunkaniemi, R., 95
Ono, F., 61
Owiny, D., 134

Parkin, S., 134
Pina, F., 82
Poliakoff, M., 128
Pytkowicz, J., 166

Rodríguez, L., 82
Roland, S., 166
Ros, J., 117
Rossell, O., 82

Schmidt, H., 48
Sharma, R.K., 122
Shen, Q., 108
Shipov, A.G., 39
Simpkins, N.S., 180
Solans, X., 82
Srinivasu, C., 142
Steinborn, D., 48
Sun, J., 108
Sun, L., 90
Sun, X.-Z., 128
Suzuki, Y., 61

Tabar-Hydar, K., 1
Tachikawa, H., 56
Tada, Y., 33
Takeuchi, Y., 61
Taylor, P.G., 39
Toscano, P.J., 15

Usher, A.J., 72

Wagner, C., 48
Waldbach, T., 5
Wang, H., 90
Wang, X., 156
Welch, J.T., 15
Willis, A.C., 72
Wong, W., 108

Xie, Q., 90
Xue, M., 108

Yamashita, K., 33
Yáñez, R., 117
Yao, Y., 108
Yoshimoto, K., 33
Yu, K., 108

Zhang, J., 128
Zhang, R., 148
Zhang, Y., 108
Zhang, Z., 108

Elsevier B.V.
doi:10.1016/S0022-328X(03)00572-2

Available online at www.sciencedirect.com
SCIENCE DIRECT®
Journal of Organometallic Chemistry 678 (2003) 185–188
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Subject index of volume 678

Ab-initio molecular orbital
Structures and electronic states of gallium–acetone complexes: ab-initio DFT study, 56
Acetylide
Linear ditopic acetylide gold or mercury complexes: synthesis and photophysic studies: X-ray crystal structure of $PPh_4[Au(C{\equiv}CC_5H_4N)_2]$, 82
Acetylides
Insertion of CS_2 into a metal acetylide bond and conversion of the bonding mode of $S_2CC{\equiv}CPh$ from η^2 to η^3, 142
Acyclic dienone complexes
Synthesis of tricarbonyliron cyclohexa-2,4-dienone complexes from tosylhydrazones of acyclic dienone complexes. A novel ansa dicarbonyliron complex by intramolecular trapping of reaction intermediates of the cyclocarbonylation reaction, 68
Alkene complex
Study of the reaction of $Rh(acac)(CO)_2$ with alkenes in polyethylene films under high-pressure hydrogen and the Rh-catalysed hydrogenation of alkenes, 128
α-Alkenes
A novel and efficient method for double bond isomerization, 1
Alkyne
Improved synthesis of di- and trinuclear iron carbonyl complexes containing bridging diphenylethenyl ligand. X-ray structure of $[PPh_4][Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}PhC{=}CHPh)]$, 117
Alkynes
Rhodium(III)-mediated cycloaddition of alkynes: reactivity of $[Cp^*Rh(\eta^2\text{-}NO_3)(OTf)]$ bearing two labile ligands, 102
Alkynyl esters
Rhodium(III)-mediated cycloaddition of alkynes: reactivity of $[Cp^*Rh(\eta^2\text{-}NO_3)(OTf)]$ bearing two labile ligands, 102

Bimetallic complexes
Titanium complexes of π-coordinated thiophene derivatives, 5
1,1′-Bis(diphenylphosphino)ferrocene
Carboxylation of (DPPF)-MCl_2 [DPPF = 1,1′-bis(diphenylphosphino)ferrocene; M = Pt or Pd] in aqueous and non-aqueous solution: Crystal and molecular structures of $[Pt(C_2O_4)(DPPF)]$ and of $[PtCl(NO_3)(DPPF)]$, 48
Bismuth
Synthesis and characterization of methylbismuth(III) complexes containing dithio ligands: crystal and molecular structure of $[MeBi\{S_2COMe\}_2]$ and transformation of $[MeBi\{S_2CO^iPr\}_2]$ to Bi_2S_3, 122

Carbonyl
Improved synthesis of di- and trinuclear iron carbonyl complexes containing bridging diphenylethenyl ligand. X-ray structure of $[PPh_4][Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}PhC{=}CHPh)]$, 117
Mixed-metal cluster chemistry. 24. Isocyanide derivatives of $[MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5H_5)]$ and $[Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2]$;: X-ray crystal structures of $[MoIr_3(\mu\text{-}CO)_3(CO)_7(L)(\eta\text{-}C_5H_5)]$ (L = $CNBu^t$, $CNC_6H_3Me_2$-2,6) and $[Mo_2Ir_2(\mu\text{-}CO)_2(CNBu^t)_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 72

Elsevier B.V.
doi:10.1016/S0022-328X(03)00570-9

Carboxylato complexes
Carboxylation of (DPPF)-MCl_2 [DPPF = 1,1′-bis(diphenylphosphino)ferrocene; M = Pt or Pd] in aqueous and non-aqueous solution: Crystal and molecular structures of $[Pt(C_2O_4)(DPPF)]$ and of $[PtCl(NO_3)(DPPF)]$, 48
Catalytic hydrogenation
Study of the reaction of $Rh(acac)(CO)_2$ with alkenes in polyethylene films under high-pressure hydrogen and the Rh-catalysed hydrogenation of alkenes, 128
Chalcogen
Insertion of CS_2 into a metal acetylide bond and conversion of the bonding mode of $S_2CC{\equiv}CPh$ from η^2 to η^3, 142
Chemical vapor deposition
Facile synthesis of a novel class of organometalloid-containing ligands, the sila-β-diketones: preparation and physical and structural characterization of the copper(II) complexes, $Cu[R'C(O)CHC(O)SiR_3]_2$, 15
Chromium
Titanium complexes of π-coordinated thiophene derivatives, 5
Cluster
Mixed-metal cluster chemistry. 24. Isocyanide derivatives of $[MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5H_5)]$ and $[Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2]$;: X-ray crystal structures of $[MoIr_3(\mu\text{-}CO)_3(CO)_7(L)(\eta\text{-}C_5H_5)]$ (L = $CNBu^t$, $CNC_6H_3Me_2$-2,6) and $[Mo_2Ir_2(\mu\text{-}CO)_2(CNBu^t)_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 72
Copper complexes
Facile synthesis of a novel class of organometalloid-containing ligands, the sila-β-diketones: preparation and physical and structural characterization of the copper(II) complexes, $Cu[R'C(O)CHC(O)SiR_3]_2$, 15
Crystal and molecular structures
Synthesis and characterization of methylbismuth(III) complexes containing dithio ligands: crystal and molecular structure of $[MeBi\{S_2COMe\}_2]$ and transformation of $[MeBi\{S_2CO^iPr\}_2]$ to Bi_2S_3, 122
Crystal structure
Facile synthesis of a novel class of organometalloid-containing ligands, the sila-β-diketones: preparation and physical and structural characterization of the copper(II) complexes, $Cu[R'C(O)CHC(O)SiR_3]_2$, 15
Insertion of CS_2 into a metal acetylide bond and conversion of the bonding mode of $S_2CC{\equiv}CPh$ from η^2 to η^3, 142
Synthesis and characterization of 1-ferrocenecarboxysilatranes and crystal structures of $FcC(CH_3){=}CHCOOSi(OCH_2CH_2)_3N$ and $p\text{-}FcC_6H_4COOSi(OCH_2CH_2)_3N$, 90
Synthesis and structure of a novel trinuclear 18-membered macrocycle of diphenyltin complexes with 2-mercaptonicotinic acid, 148
Crystal structures
Synthesis and characterization of β-diketiminate lanthanide complexes: the effect of the bulkiness of ancillary ligand on the reaction, 108
Cyclic voltammetry
Chiral diaminocarbene palladium(II) complexes: synthesis, reduc-

tion to Pd(0) and activity in the Mizoroki–Heck reaction as recyclable catalysts, 166
Cyclodimerization
Rhodium(III)-mediated cycloaddition of alkynes: reactivity of $[Cp^*Rh(\eta^2\text{-}NO_3)(OTf)]$ bearing two labile ligands, 102
Cyclopentadienyl
Mixed-metal cluster chemistry. 24. Isocyanide derivatives of $[MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5H_5)]$ and $[Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2]$;: X-ray crystal structures of $[MoIr_3(\mu\text{-}CO)_3(CO)_7(L)(\eta\text{-}C_5H_5)]$ ($L = CNBu^t$, $CNC_6H_3Me_2$-2,6) and $[Mo_2Ir_2(\mu\text{-}CO)_2(CNBu^t)_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 72
Cyclophanes
Synthesis of 5,5,6,6,21,21,22,22-octamethyl-5,6,21,22-tetragerma[10.10]paracyclophane, 61
Cyclotrimerization
Rhodium(III)-mediated cycloaddition of alkynes: reactivity of $[Cp^*Rh(\eta^2\text{-}NO_3)(OTf)]$ bearing two labile ligands, 102

Density functional theory
A study on the excitations of ligand-to-metal charge transfer in complexes Cp_2MCl_2 ($Cp = \pi\text{-}C_5H_5$, M = Ti, Zr, Hf) by density functional theory, 156
DFT
Structures and electronic states of gallium–acetone complexes: ab-initio DFT study, 56
β-Diketiminate ligand
Synthesis and characterization of β-diketiminate lanthanide complexes: the effect of the bulkiness of ancillary ligand on the reaction, 108
Dinuclear
Improved synthesis of di- and trinuclear iron carbonyl complexes containing bridging diphenylethenyl ligand. X-ray structure of $[PPh_4][Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}PhC{=}CHPh)]$, 117
ditopic host
Synthesis of 5,5,6,6,21,21,22,22-octamethyl-5,6,21,22-tetragerma[10.10]paracyclophane, 61

EL
Hole-transporting properties of organosilanylene–diethynylpyrene and diethynylanthracene alternating polymers. Applications to patterning of light-emitting images, 33
Electronic spectrum
A study on the excitations of ligand-to-metal charge transfer in complexes Cp_2MCl_2 ($Cp = \pi\text{-}C_5H_5$, M = Ti, Zr, Hf) by density functional theory, 156
Electronic states
Structures and electronic states of gallium–acetone complexes: ab-initio DFT study, 56
Excited state
A study on the excitations of ligand-to-metal charge transfer in complexes Cp_2MCl_2 ($Cp = \pi\text{-}C_5H_5$, M = Ti, Zr, Hf) by density functional theory, 156

Ferrocene
Synthesis and characterization of 1-ferrocenecarboxysilatranes and crystal structures of $FcC(CH_3){=}CHCOOSi(OCH_2CH_2)_3N$ and $p\text{-}FcC_6H_4COOSi(OCH_2CH_2)_3N$, 90
Ferrocenyl carboxylate
Synthesis and characterization of 1-ferrocenecarboxysilatranes and crystal structures of $FcC(CH_3){=}CHCOOSi(OCH_2CH_2)_3N$ and $p\text{-}FcC_6H_4COOSi(OCH_2CH_2)_3N$, 90

Gallium–acetone complexes
Structures and electronic states of gallium–acetone complexes: ab-initio DFT study, 56
Germanium
Stereochemical rearrangements of dibromides of hexacoordinated germanium containing amidomethyl and lactamomethyl chelate ligands, 39
Gold
Linear ditopic acetylide gold or mercury complexes: synthesis and photophysic studies: X-ray crystal structure of $PPh_4[Au(C{\equiv}CC_5H_4N)_2]$, 82

Heck reaction
Chiral diaminocarbene palladium(II) complexes: synthesis, reduction to Pd(0) and activity in the Mizoroki–Heck reaction as recyclable catalysts, 166
Hexacoordination
Stereochemical rearrangements of dibromides of hexacoordinated germanium containing amidomethyl and lactamomethyl chelate ligands, 39
Hole-transport
Hole-transporting properties of organosilanylene–diethynylpyrene and diethynylanthracene alternating polymers. Applications to patterning of light-emitting images, 33

In situ FTIR
Study of the reaction of $Rh(acac)(CO)_2$ with alkenes in polyethylene films under high-pressure hydrogen and the Rh-catalysed hydrogenation of alkenes, 128
Iridium
Mixed-metal cluster chemistry. 24. Isocyanide derivatives of $[MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5H_5)]$ and $[Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2]$;: X-ray crystal structures of $[MoIr_3(\mu\text{-}CO)_3(CO)_7(L)(\eta\text{-}C_5H_5)]$ ($L = CNBu^t$, $CNC_6H_3Me_2$-2,6) and $[Mo_2Ir_2(\mu\text{-}CO)_2(CNBu^t)_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 72
Iron
Improved synthesis of di- and trinuclear iron carbonyl complexes containing bridging diphenylethenyl ligand. X-ray structure of $[PPh_4][Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}PhC{=}CHPh)]$, 117
Isocyanide
Mixed-metal cluster chemistry. 24. Isocyanide derivatives of $[MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5H_5)]$ and $[Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2]$;: X-ray crystal structures of $[MoIr_3(\mu\text{-}CO)_3(CO)_7(L)(\eta\text{-}C_5H_5)]$ ($L = CNBu^t$, $CNC_6H_3Me_2$-2,6) and $[Mo_2Ir_2(\mu\text{-}CO)_2(CNBu^t)_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 72
Isomerization
A novel and efficient method for double bond isomerization, 1

Ligands
Synthesis of tricarbonyliron cyclohexa-2,4-dienone complexes from tosylhydrazones of acyclic dienone complexes. A novel ansa dicarbonyliron complex by intramolecular trapping of reaction intermediates of the cyclocarbonylation reaction, 68
Ligand-to-metal charge transfer
A study on the excitations of ligand-to-metal charge transfer in complexes Cp_2MCl_2 ($Cp = \pi\text{-}C_5H_5$, M = Ti, Zr, Hf) by density functional theory, 156

Macrocycle
Synthesis and structure of a novel trinuclear 18-membered macrocycle of diphenyltin complexes with 2-mercaptonicotinic acid, 148
Mechanism
Study of the reaction of $Rh(acac)(CO)_2$ with alkenes in polyethylene films under high-pressure hydrogen and the Rh-catalysed hydrogenation of alkenes, 128
2-Mercaptonicotinic acid
Synthesis and structure of a novel trinuclear 18-membered macrocycle of diphenyltin complexes with 2-mercaptonicotinic acid, 148

Mercury
Linear ditopic acetylide gold or mercury complexes: synthesis and photophysic studies: X-ray crystal structure of $PPh_4[Au(C{\equiv}CC_5H_4N)_2]$, 82
Mixed-metal
Insertion of CS_2 into a metal acetylide bond and conversion of the bonding mode of $S_2CC{\equiv}CPh$ from η^2 to η^3, 142
Molybdenum
Mixed-metal cluster chemistry. 24. Isocyanide derivatives of $[MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5H_5)]$ and $[Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2]$;: X-ray crystal structures of $[MoIr_3(\mu\text{-}CO)_3(CO)_7(L)(\eta\text{-}C_5H_5)]$ (L = $CNBu^t$, $CNC_6H_3Me_2$-2,6) and $[Mo_2Ir_2(\mu\text{-}CO)_2(CNBu^t)_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 72

N-heterocyclic carbenes
Chiral diaminocarbene palladium(II) complexes: synthesis, reduction to Pd(0) and activity in the Mizoroki–Heck reaction as recyclable catalysts, 166
NMR and X-ray studies
Carboxylation of (DPPF)-MCl_2 [DPPF = 1,1′-bis(diphenylphosphino)ferrocene; M = Pt or Pd] in aqueous and non-aqueous solution: Crystal and molecular structures of $[Pt(C_2O_4)(DPPF)]$ and of $[PtCl(NO_3)(DPPF)]$, 48
NMR spectroscopy
$C_4H_3SSeCH_2CH_2OC_6H_5$: synthesis, characterization and reaction with palladium(II) and nickel(II), 95
Non-empirical quantum-chemical calculations
Stereochemical rearrangements of dibromides of hexacoordinated germanium containing amidomethyl and lactamomethyl chelate ligands, 39

Olefin polymerization
Synthesis, structural determination, and ethylene polymerization chemistry of mono(salicylaldiminato) complexes of titanium(IV), 134
Organogermanium compound
Synthesis of 5,5,6,6,21,21,22,22-octamethyl-5,6,21,22-tetragerma[10.10]paracyclophane, 61
Organolanthanides
Synthesis and characterization of β-diketiminate lanthanide complexes: the effect of the bulkiness of ancillary ligand on the reaction, 108
Organometallic complexes
A study on the excitations of ligand-to-metal charge transfer in complexes Cp_2MCl_2 (Cp = π-C_5H_5, M = Ti, Zr, Hf) by density functional theory, 156
Organotin
Synthesis and structure of a novel trinuclear 18-membered macrocycle of diphenyltin complexes with 2-mercaptonicotinic acid, 148

Palladium
Carboxylation of (DPPF)-MCl_2 [DPPF = 1,1′-bis(diphenylphosphino)ferrocene; M = Pt or Pd] in aqueous and non-aqueous solution: Crystal and molecular structures of $[Pt(C_2O_4)(DPPF)]$ and of $[PtCl(NO_3)(DPPF)]$, 48
Chiral diaminocarbene palladium(II) complexes: synthesis, reduction to Pd(0) and activity in the Mizoroki–Heck reaction as recyclable catalysts, 166
Palladium complex
$C_4H_3SSeCH_2CH_2OC_6H_5$: synthesis, characterization and reaction with palladium(II) and nickel(II), 95
Palladium (II) chloride
A novel and efficient method for double bond isomerization, 1
Patterning
Hole-transporting properties of organosilanylene–diethynylpyrene and diethynylanthracene alternating polymers. Applications to patterning of light-emitting images, 33
2-Phenoxyethylthienylselenide
$C_4H_3SSeCH_2CH_2OC_6H_5$: synthesis, characterization and reaction with palladium(II) and nickel(II), 95
Photoluminescence
Linear ditopic acetylide gold or mercury complexes: synthesis and photophysic studies: X-ray crystal structure of $PPh_4[Au(C{\equiv}CC_5H_4N)_2]$, 82
Platinum
Carboxylation of (DPPF)-MCl_2 [DPPF = 1,1′-bis(diphenylphosphino)ferrocene; M = Pt or Pd] in aqueous and non-aqueous solution: Crystal and molecular structures of $[Pt(C_2O_4)(DPPF)]$ and of $[PtCl(NO_3)(DPPF)]$, 48
Polymer matrix
Study of the reaction of $Rh(acac)(CO)_2$ with alkenes in polyethylene films under high-pressure hydrogen and the Rh-catalysed hydrogenation of alkenes, 128

Reactivity
Synthesis and characterization of β-diketiminate lanthanide complexes: the effect of the bulkiness of ancillary ligand on the reaction, 108
Recyclable catalysts
Chiral diaminocarbene palladium(II) complexes: synthesis, reduction to Pd(0) and activity in the Mizoroki–Heck reaction as recyclable catalysts, 166
Rhodium
Study of the reaction of $Rh(acac)(CO)_2$ with alkenes in polyethylene films under high-pressure hydrogen and the Rh-catalysed hydrogenation of alkenes, 128

Salicylaldiminato ligands
Synthesis, structural determination, and ethylene polymerization chemistry of mono(salicylaldiminato) complexes of titanium(IV), 134
Schiff base ligands
Synthesis, structural determination, and ethylene polymerization chemistry of mono(salicylaldiminato) complexes of titanium(IV), 134
Sila-β-diketone
Facile synthesis of a novel class of organometalloid-containing ligands, the sila-β-diketones: preparation and physical and structural characterization of the copper(II) complexes, $Cu[R'C(O)CHC(O)SiR_3]_2$, 15
Silatranes
Synthesis and characterization of 1-ferrocenecarboxysilatranes and crystal structures of $FcC(CH_3){=}CHCOOSi(OCH_2CH_2)_3N$ and *p*-$FcC_6H_4COOSi(OCH_2CH_2)_3N$, 90
Silicon polymer
Hole-transporting properties of organosilanylene–diethynylpyrene and diethynylanthracene alternating polymers. Applications to patterning of light-emitting images, 33
Sodium/potassium salts
Synthesis and characterization of methylbismuth(III) complexes containing dithio ligands: crystal and molecular structure of $[MeBi\{S_2COMe\}_2]$ and transformation of $[MeBi\{S_2CO^iPr\}_2]$ to Bi_2S_3, 122
Stereochemical non-rigidity
Stereochemical rearrangements of dibromides of hexacoordinated germanium containing amidomethyl and lactamomethyl chelate ligands, 39
Structures
Carboxylation of (DPPF)-MCl_2 [DPPF = 1,1′-bis(diphenylphosphino)ferrocene; M = Pt or Pd] in aqueous and non-aqueous solution: Crystal and molecular structures of $[Pt(C_2O_4)(DPPF)]$ and of $[PtCl(NO_3)(DPPF)]$, 48

Supramolecular
Linear ditopic acetylide gold or mercury complexes: synthesis and photophysic studies: X-ray crystal structure of $PPh_4[Au(C{\equiv}CC_5H_4N)_2]$, 82
Synthesis
Synthesis and characterization of β-diketiminate lanthanide complexes: the effect of the bulkiness of ancillary ligand on the reaction, 108

Thermal analyses
Facile synthesis of a novel class of organometalloid-containing ligands, the sila-β-diketones: preparation and physical and structural characterization of the copper(II) complexes, $Cu[R'C(O)CHC(O)SiR_3]_2$, 15
Thiophene
Titanium complexes of π-coordinated thiophene derivatives, 5
Titanium
Titanium complexes of π-coordinated thiophene derivatives, 5
Titanium(IV) complexes
Synthesis, structural determination, and ethylene polymerization chemistry of mono(salicylaldiminato) complexes of titanium(IV), 134
Tosylhydrazones
Synthesis of tricarbonyliron cyclohexa-2,4-dienone complexes from tosylhydrazones of acyclic dienone complexes. A novel ansa dicarbonyliron complex by intramolecular trapping of reaction intermediates of the cyclocarbonylation reaction, 68
Triethylsilane
A novel and efficient method for double bond isomerization, 1
Trinuclear
Improved synthesis of di- and trinuclear iron carbonyl complexes containing bridging diphenylethenyl ligand. X-ray structure of $[PPh_4][Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}PhC{=}CHPh)]$, 117

Volatile complexes
Facile synthesis of a novel class of organometalloid-containing ligands, the sila-β-diketones: preparation and physical and structural characterization of the copper(II) complexes, $Cu[R'C(O)CHC(O)SiR_3]_2$, 15

Wurtz coupling
Synthesis of 5,5,6,6,21,21,22,22-octamethyl-5,6,21,22-tetragerma[10.10]paracyclophane, 61

X-ray crystallography
$C_4H_3SSeCH_2CH_2OC_6H_5$: synthesis, characterization and reaction with palladium(II) and nickel(II), 95